

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	2	S3 and S4	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 13:50
S6	2	(function adj identifier) and (fuse adj map)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 13:51
S9	0	S4 an S8	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:12
S7	0	S4 an "712".CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:12
S10	1	S3 and S8	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:13
S11	3	(configuration adj memory) and S8	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:21
S3	32	(function adj identifier) and (configuration adj memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:21
S12	2	"5737631".PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:34
S13	2	(fuse adj map) and (function adj identifier) and (lookup adj table)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:38
S15	8	S14 and "712".CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:39
S14	99	(function adj identifier) and (lookup adj table)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:39

## EAST Search History

S2	2	"5768598".PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:40
S8	311	345/503.CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:51
S19	767	712/242-243,245.CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:53
S20	84	(configuration with control\$3) and S19	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 14:56
S22	209	712/242-243.CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:38
S16	2	"5915123".PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:42
S23	2	"6356995".PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:43
S26	5	reconfigurable near2 microcode	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/26 15:47
S25	0	reconfigurable near2 microcode near2 accelerat\$4	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/26 15:47
S24	15	("4511966"   "4514803"   "4849922"   "4870614"   "5600845"   "5606714"   "5619665"   "5630153"   "5784636"   "5968161"   "5970254"   "6105129").PN. OR ("6356995").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/26 15:47
S27	10	("3478322"   "3792441"   "4204252"   "4346438"   "5144242"   "5237667"   "5274829").PN. OR ("6081888").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/26 16:04
S29	12	reconfigurable with microcode with control\$3	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/26 16:05

## EAST Search History

S28	0	reconfigurable adj microcode adj control\$3	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/26 16:05
S1	2	"20050219251".PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:11
S31	733	(data near2 driven) and function and microcode	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:13
S30	36	(data near2 driven) with execut\$3 with function	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:13
S33	3	712/245.CCLS. and 712/25.CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:15
S32	6	(data near2 driven) and function and microcode and (configuration adj memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:16
S34	2	(data near2 driven) and (function near2 identifier near2 (queue or buffer))	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:18
S38	353	(data near2 driven) and (lookup adj table) and (microcode\$1 or micro-code\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:19
S37	167	(data near2 driven) and (function near2 (queue or buffer)) and (microcode\$1 or micro-code\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:19
S39	130	(data near2 driven) and (function near2 (queue or buffer)) and (microcode\$1 or micro-code\$1) and (lookup adj table)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:21
S43	52	S41 and S42	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:24
S42	78	outer adj loop adj counter	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:24

## EAST Search History

S41	87	inner adj loop adj counter	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:24
S40	48	S39 and "712".CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 11:24
S44	40	("4862407").URPN.	USPAT	AND	ON	2007/09/28 13:10
S47	8	reconfigur\$5 with microsequencer	USPAT	AND	ON	2007/09/28 13:13
S48	1	"6026490".PN.	USPAT	AND	ON	2007/09/28 13:14
S4	109	(fuse adj map)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 13:15
S49	0	(fuse adj map) and microsequencer	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 13:37
S51	1309	(configur\$5 or reconfigur\$5) with (microsequencer or microcod\$3 or micro-cod\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 13:39
S52	88	(reconfigur\$5) with (microsequencer or microcod\$3 or micro-cod\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 13:40
S53	10	("3478322"   "3792441"   "4204252"   "4346438"   "5144242"   "5237667"   "5274829").PN. OR ("6081888").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/28 13:45
S50	5	(fuse adj map) and (microsequencer or microcod\$3 or micro-cod\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 14:17
S56	173	(programmable adj gate adj array) with (microsequencer or microcod\$3 or micro-cod\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/09/28 14:18
S57	12	("5574927"   "5721855"   "5796981"   "5799169"   "5802359"   "5832251"   "5968161"   "6081888"   "6134707"   "6272453"   "6341345"   "6438679").PN. OR ("6725364").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/28 14:24

## EAST Search History

L2	2	((microcode or micro-code) adj (storage or memory)) with (FPGA or PGA or (programmable adj gate adj array))	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/10/01 08:16
----	---	---	-----------------------------------	-----	----	------------------